

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 873 772 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
19.03.2003 Bulletin 2003/12

(51) Int Cl.7: **A63F 13/00, H04N 7/173**

(21) Application number: **98302964.6**

(22) Date of filing: **16.04.1998**

(54) Interactive, predictive game control system

Interaktives, prädiktives Spielsteuerungssystem

Système de commande de jeu interactif et prévisionnel

(84) Designated Contracting States:
AT BE CH DE DK ES FR GB GR IE IT LI NL PT SE

(30) Priority: **22.04.1997 GB 9708061**

(43) Date of publication of application:
28.10.1998 Bulletin 1998/44

(73) Proprietor: **Two Way TV Limited**
Avonmore Road, London W14 8TS (GB)

(72) Inventors:
• **McKeown, Mark William**
London W10 6PS (GB)

- **Kanady, Thomas**
California 95014 (US)
- **Malaure, Jason Robert**
Oxfordshire OX9 2AE (GB)
- **Weston, David Robert**
Chinnor Oxfordshire OX9 4BX (GB)

(74) Representative: **Skone James, Robert Edmund**
GILL JENNINGS & EVERY
Broadgate House
7 Eldon Street
London EC2M 7LH (GB)

(56) References cited:
US-A- 4 592 546

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

[0001] The invention relates to an interactive, predictive game control system for use in conjunction with a live TV broadcast.

[0002] In an interactive, predictive game played in conjunction with a live TV broadcast, remote players attempt to predict certain events which may or may not occur during the broadcast and will be awarded prizes, monetary or otherwise, if they are successful. Examples of interactive, predictive games include horse racing where the players can try to predict winners or place bets on particular horses to win or be placed in a race, and football matches where players may try to predict the final score or the time of occurrence of certain events such as the time of the first goal, first booking etc. Other examples are rugby, motor racing, tennis and cricket. An example of an interactive system is described in US-A-4592546. This document describes in detail how the remote units are organised and controlled but provides very little information on the central location.

[0003] In order to enhance the enjoyment of such games, it is desirable to be able to present players with information relating to the game in advance of, and on occasion during, the playing of the game so that they can make intelligent predictions. For example, in the case of a horse race, it would be desirable to give the players information regarding the horses, the jockeys, the course and the odds while for a football game, players would like to have details of the teams, past form and current position in a league table. Much of this information, in particular information on odds and the like, will change in the run-up to the game and consequently there is a continuing need for instantaneous updates.

[0004] In accordance with one aspect of the present invention, an interactive broadcast network comprises an interactive, predictive game control system including a central controller for generating game playing data for transmission with a live TV broadcast to remote player(s) and for receiving information from the remote player(s), an input device connected to the central controller, and a database connected to the central controller for storing data relating to the content of the live broadcast and known in advance of the live broadcast, the central controller being responsive to signals from the input device:

- a) prior to the live broadcast, to select data from the database for transmission to the remote user(s) in advance of and/or during the live broadcast, and
- b) during or after the live broadcast, to record the time of occurrence of one or more events relating to the live broadcast which are to be predicted by the remote player(s), as indicated by an operator to the central controller via the input device; and a number of remote units for receiving signals, transmitted in association with a TV broadcast, from the central controller, each remote unit including a mi-

croprocessor responsive to signals received from the central controller and connected to an input device for use by a remote player, and a store for storing the data transmitted by the central controller.

[0005] In accordance with a second aspect of the present invention, a method of handling an interactive, predictive game in conjunction with a live TV broadcast received by one or more remote players comprises:

- a) prior to a live broadcast, selecting data from a database which stores data relating to the content of the live broadcast and known in advance of the live broadcast, transmitting the selected data with a TV broadcast to remote player(s) in advance of and/or during the live broadcast and storing the data locally to the remote player, and
- b) during or after the live broadcast, recording the time at which one or more events occur within the live broadcast and which are to be predicted by the remote player(s).

[0006] We have devised a control system and method which allows an operator to achieve as much preparation as possible prior to the commencement of a live TV broadcast. Typically, the database will store information relevant to future predictions. The operator is able to select data appropriate to the live TV broadcast from the database and arrange for this to be assembled as appropriate into a display format which can then be transmitted in association with a TV broadcast, either in advance of and/or during the live TV broadcast, to the remote player(s). This then allows the operator to concentrate on monitoring the live broadcast for the occurrence of events which are to be predicted by the remote player(s) without having to enter large amounts of data through the input device.

[0007] The time at which the event(s) occur during the live broadcast may be entered by the operator later, for example after the live broadcast has ended but preferably the operator indicates the time of occurrence immediately. The time of occurrence can then be recorded as the actual time at which an operator provides an indication or as the actual time when amended to take account of the operator's and system's response time.

[0008] In the preferred control system, therefore, the central controller computes the actual time of occurrence of an event by monitoring the time of a signal generated by the input device in response to operator activation, and modifies that time to take account of the operator's and system's response time.

[0009] Typically, an operator will undergo a test procedure in which his response time and the system latency is determined by the central controller and this response time and latency is then stored for later use in computing the actual time of occurrence of events in the live broadcast.

[0010] In order to communicate times between the

control system and the remote player(s), it is necessary to encode those times into signals which are transmitted between the two locations. This is most conveniently achieved by a process known as "time stamping" in which data defining the times are attached to messages between the two. Time stamped signals supplied to the remote player(s) can be used in a variety of ways at the remote location. For example, the signal can be used as a lock-out command preventing further predictions being made by the remote player(s). It can also be used, of course, to enable the remote player(s) to determine whether or not he has made a successful prediction.

[0011] In some cases, players predictions are communicated back to the central controller for adjudication but in other systems the local unit is able to determine, following information received from the central controller, whether or not the associated player has won and can then communicate that information to the central controller only in the case of a winning player. This reduces the amount of time needed to communicate with the central controller and the number of remote units which have to communicate at the same time.

[0012] Typically, communication from the remote player(s) to the central controller will be via an existing communication network such as public switched telephone network and the like although a permanent connection is also possible.

[0013] In some cases, the action of updating the database can cause a time to be recorded by the central controller. This could be, for example, the case where fixed odds stored within the database are updated and the time of updating is then recorded by the central controller in response to signals from the database.

[0014] An example of a control system and method according to the invention will now be described with reference to the accompanying drawings, in which:-

Figure 1 is a schematic block diagram of the control system and an interactive broadcast network incorporating the control system;

Figures 2-5 illustrate examples of screen displays presented to an operator during preparation for a live football game referred to as PlayLive Football; Figures 6 and 7 illustrate screen displays presented to a remote player of PlayLive Football;

Figures 8 to 10 illustrate screens presented to an operator during a PlayLive Football game;

Figures 11-14 illustrate screen displays presented to an operator during preparation for a live horse racing game referred to as PlayLive Racing; and,

Figures 15-17 illustrate screen displays presented to a player during a PlayLive Racing game.

[0015] The interactive broadcast network shown in Figure 1 comprises a game control system A including a central controller 1 which will include a computer such as a PC operating a Windows based system, connected to an input device 2 such as a keyboard and/or mouse

and the like and to an output device 3 which may include a monitor and/or printer. A database 4A stores data relating to service functions and remote users, which can be accessed and amended by the central controller 1, while a Live File store 4B is provided for storing data relating to the game being or to be broadcast. The central controller 1 generates data which can be converted to TV display signals and other control signals associated with various service functions, on a land line 5 connected to a combining unit 6 defining an insertion point of a TV broadcast system B. The combining unit 6 receives television broadcast signals from a studio 7 (or outside broadcast (OB) location, in the case of a live event), and combines these with the signals on the line 5 so that they are transmitted simultaneously by a transmitter 8 to remote users or players C. In other applications, the signals from the central controller 1 and the studio or OB 7 will be transmitted separately.

[0016] The signals applied to the combiner 6 may be transmitted to the remote units within a vertical blanking interval (VBI) of the normal TV signal or on a separate radio FM-SCA channel or other data format such as a cable modem.

[0017] Each remote user C has a home or remote unit 9 having a television receiver 10 connected to an aerial 11 and a monitor 12. The home unit 9 includes an address/databus 13 connected to the receiver 10, the bus 13 being connected to a microprocessor 14, a memory 15, such as a ROM, storing programme instructions for the processor 14, one or more input devices 16 such as a keyboard or mouse, and a control memory (RAM) 17. Signals transmitted by the processor 14 can be communicated to the central controller 1 via a public switched telephone network 18 which is selectively accessed by a telephone interface unit 19 connected to the bus 13.

[0018] Alternative media such as cable or the internet can be used for the return signals (as for the signals transmitted to the remote unit C). In general the return signals will be transmitted over a different medium to the incoming signals.

[0019] The game control system A can be used to control a variety of games including interactive, predictive games and two examples of such interactive, predictive games will be described below. In the first example, play live football, the remote players are able to attempt to predict certain events prior to commencement of a live football match which is broadcast by the transmitter 8 and can also attempt to predict certain events during the live broadcast.

[0020] Initially, prior to commencement of the live broadcast, an operator uses the input device 2 to set up certain predetermined information relating to the live broadcast for transmission to the remote players. In this example, the operator is first presented with a screen as shown in Figure 2 in which he can select a home team and an away team from a list of such teams which have been previously stored in the database 4A. Using the input device 2, such as a mouse, he can select the ap-

propriate home and away teams and then click the OK button. This information is then stored in the Live File store 4B. The database 4A stores information relating to each team squad which will typically include more players than those actually selected to play the match. Shortly before commencement of the match, the actual team will be announced and this information will be conveyed to the operator. He then causes the central controller 1 to display all members of the squad of each team (Figure 3) allowing the operator to indicate which members of the squad have been picked to play and at the same time, he can define the type of player, for example goalkeeper, attacker, midfielder or defender. Once that information has been indicated, it is then stored in the Live File store 4B.

[0021] Also, before the game begins, the operator takes a calibration of his own reaction time and the system latency. This can be obtained during a test procedure in which the central controller 1 presents a particular display on a monitor of the output device 3 to which the operator must react as quickly as possible. The central controller 1 then determines the time between initiating the display and the time at which a response is sensed and this will be a latency value which is used to adjust future times of occurrence of events which are entered by the operator. This process can be repeated at intervals during the game either automatically or on operator request. This enables the latency to be updated to take account of variation in the operator's response times.

[0022] The operator also sets up the particular types of event which can be predicted during the live broadcast. In this example, these events include the time of the first goal, the time of the first booking etc. Examples of such events are indicated by the line of buttons at 50 in Figure 4.

[0023] Once all the information for the live broadcast has been set up by the operator, a screen such as that shown in Figure 4 is displayed which at this time is inactive since the interactive game has not commenced. It will be noted, however, that the operator has been able to set up a significant amount of information in advance of the live broadcast itself.

[0024] At the appropriate time, but before commencement of the football game, the operator will bring up the screen shown in Figure 5 and by clicking the button 51, the predefined information will then be transmitted to the combiner 6 and broadcast to all the remote players C where it will be stored in each memory 17.

[0025] If a remote player wishes to play the interactive game, he operates his input device 16 to indicate to the processor 14 that the game is to be initiated and the processor 14 will respond to the information supplied from the central controller 1 and stored in the memory 17 to display a screen similar to that shown in Figure 6. This indicates to the player the type of prediction which he can attempt. A comparison of Figures 4 and 6 will show that six of the events selected by the operator for

prediction set out in the line 50 are displayed on the display of Figure 6.

[0026] The remote player can then select one or more of the predictions. For example, if he selects, using the input device 16, the "Time Slot of First Goal", the screen shown in Figure 7 will be displayed which defines six different 15 minute periods during the playing of a football game. The player can then indicate one of those periods using the input device 16, for example, the period 16-30 minutes, and this prediction is then stored in the memory 17. In a similar way, the player can predict any one or more of the other items set out in Figure 6.

[0027] Immediately the game commences, the operator clicks on the "Start First Half" button 59 (Figure 5) and this will cause the central controller 1 to display the screen of Figure 8 asking the operator to confirm. Following confirmation, the screen of Figure 9 is displayed allowing the operator to lock out further predictions at the start of the game. In response the central controller 1 will issue a lock-out signal which is broadcast to the remote units C and to which each processor 14 responds to prevent any further predictions from being entered. The lock-out signal will carry a time stamp which defines the instant at which the operator clicked on the button 60 but back stamped by an appropriate number of frames corresponding to the earlier determined calibration of the operator response time and system latency. Each microprocessor 14 responds to the received lock-out signal to lock-out any future predictions and also any previous predictions which occurred after the back adjusted time stamp.

[0028] In order to obtain accurate synchronisation between the central controller clock and each remote unit C, all parts of the interactive network work to a common universal system clock. Synchronisation is maintained by the central controller 1 repeatedly issuing synchronisation signals as part of the messages which are broadcast. Each microprocessor 14 monitors the time of arrival of a synchronisation signal and compares this with its own clock and if there is a discrepancy gradually adjusts its clock to agree with the synchronisation signal.

[0029] As the game develops, various events may or will occur. For example, when the first goal is scored, the operator clicks on the First Scorer button 61 to enable him to select the appropriate score and also clicks on the First Goal button 62 to indicate the time of the first goal. This information is then confirmed by the operator by clicking the Resolve button 63 and the information is then transmitted in the usual manner to the remote players.

[0030] The time of the first goal transmitted to the remote players will be the time at which the button 62 was pressed adjusted by the prestored latency. This is sent as a time stamp to the remote players.

[0031] Similarly, at half time, clicking the Half Time button 64 will allow the operator to enter the half time score which is then transmitted to the remote players where it can be compared with their predictions.

[0032] During and/or after a game, the respective microprocessors 14 compare the associated player's predictions with the actual events as time stamped and supplied from the central controller 1. If the local player was successful in his prediction then the microprocessor 14 will indicate this to the player and will also pass that information via the PSTN 18 to the central controller 1. This is particularly useful where players will be rewarded with a financial prize or token allowing them additional use of certain games which require payment. In other applications, however, where no financial or other prize is awarded, communication with the central controller 1 is not necessary.

[0033] If there are any penalties at the end of the football match, the remote players are given the opportunity to predict whether a penalty kick will be scored, missed or saved, the operator controlling these predictions via the button 65 on the screen of Figure 10.

[0034] The central controller 1 also allows a further game to be played by the remote players during the live broadcast of the football match. This is known as "Action Ball". During the football game, when the operator identifies a shot on target, a goal or a corner kick, he/she immediately registers this action by pressing the event button 53. A counter 65 begins countdown from 10 giving the operator 10 seconds to define the event as a shot on target, goal or corner kick by pressing one of the three buttons 54,55,56 or cancelling the indication by pressing the Deny button 58. Clicking one of the buttons 54-56 causes the central controller 1 to send an appropriate message to each of the remote players C in conjunction with a TV broadcast and each microprocessor 14 responds to receipt of that message by awarding points to those remote players who have correctly anticipated that one or the three events had occurred. Each remote player has 15 opportunities per half to anticipate that a shot on target, goal or corner kick will occur by operating his input device 16 which will initiate a 10 second period. The action by the remote player of pressing any blue button on his input device records a time stamp on the memory 17. The time that the event occurs as input by the operator, after suitable back stamping, will be broadcast as a time stamp to each remote player C. Each microprocessor 14 compares the time stamp supplied to it corresponding to the time at which the event button 53 was clicked and if the remote player pressed his blue button in less than ten seconds from the time stamp received by the microprocessor 14 then the player will have been successful and receive points.

[0035] In the second example, the PlayLive Racing game will be described. In this example, the central controller 1 will receive details about available races including declared riders and runners and this information will be stored in the database 4A and the operator will decide which races are to be included in the game. The database 4A will include details of all available races and in this example, the operator selects three using the

screen shown in Figure 11 and the input device 2, the selected information being stored in the Live File store 4B.

[0036] The operator then selects each race in turn and, for the first race, the screen shown in Figure 12 is displayed to the operator. This will display certain fixed information already provided in the Live File store 4B such as the going of the course but allows the operator to add further information in the Course Details box as may be appropriate on the day.

[0037] For each race, the operator then displays the screen shown in Figure 13 allowing him to select the names of all runners and non-runners as this information is received. Alternatively, this can be carried out automatically via the database 4A as that portion is updated.

[0038] For each horse, the database 4A holds information relating to the horse and the operator can display this and modify it as necessary as shown in the screen shown in Figure 14.

[0039] Once the operator has set up this predefined information in the Live File 4B, he will cause it to be made available to the remote units by broadcasting the information in the usual way. Each remote unit will receive the information and the microprocessor 14 will store that information in the control memory 17.

[0040] The odds for each horse can be manually entered by the operator as they change or this could be carried out upon loading the odds into the store 4B. In either event, on a change of odds, this information will be broadcast to the remote units together with a time stamp defining the time of the change. Again, this information can then be displayed by the remote user.

[0041] Finally, in preparation for the horse race, the operator will take a calibration of his own reaction time and the system latency as described above in connection with the PlayLive Football application. This calibration is then used to compensate input times by back stamping by the appropriate number of frames per second by which the action is delayed. Updates can also be obtained as before.

[0042] Once the operator has made his preparations, the information is transmitted to each remote player and stored in the memories 17. Each remote player can display the details of races, horses, odds and the like as necessary. For example, as shown in Figure 15, the remote player can display a list of horses and jockeys for a particular race.

[0043] Just prior to the start of a race, the remote players are given the opportunity to predict the outcome of that race using one of the variety of bets on offer (i.e. win, place, each way). The remote player can choose to place a bet via an appropriate screen (Figure 17) and once he has selected a bet and confirmed the amount of money he wishes to wager, he will receive confirmation that the bet has been accepted and these details will be stored by the microprocessor 14 in the memory 17.

[0044] As soon as the race begins, the operator will indicate this via the input device 2 and an appropriately back stamped time stamp signal will be broadcast causing each microprocessor 14 to lock out all future predictions and to cancel any predictions made after the time defined by the back stamped time stamp. Once the race is finished, the operator sends out the results in two stages, first as unconfirmed results and then as confirmed results once these have been confirmed by the appropriate race authority. Each remote unit responds to the result information to determine whether the local player or players is successful and to determine the winning amount and displays this as appropriate, for example as shown in Figure 16. In this case, there are four local players.

Claims

1. An interactive broadcast network comprising an interactive, predictive game control system including a central controller (1) for generating game playing data for transmission with a live TV broadcast to remote player (s) and for receiving information from the remote player(s), an input device (2) connected to the central controller (1), and a database (4A) connected to the central controller (1) for storing data relating to the content of the live broadcast and known in advance of the live broadcast, the central controller being responsive to signals from the input device:

a) prior to the live broadcast, to select data from the database (4A) for transmission to the remote user(s) in advance of and/or during the live broadcast, and

b) during or after the live broadcast, to record the time of occurrence of one or more events relating to the live broadcast which are to be predicted by the remote player(s), as indicated by an operator to the central controller (1) via the input device (2); and a number of remote units for receiving signals, transmitted in association with a TV broadcast, from the central controller (1), each remote unit including a microprocessor (14) responsive to signals received from the central controller (1) and connected to an input device (16) for use by a remote player, and a store (14) for storing the data transmitted by the central controller (1).

2. A network according to claim 1, wherein the central controller computes the actual time of occurrence of an event by monitoring the time of a signal generated by the input device (2) connected to the central controller in response to operator activation, and modifies that time to take account of the operator's and system's response time.

3. A network according to claim 1 or claim 2, wherein the action of updating the database (4A) causes a time to be recorded by the central controller (1).

4. A method of handling an interactive, predictive game in conjunction with a live TV broadcast received by one or more remote players, the method comprising

a) prior to a live broadcast, selecting data from a database (4A) which stores data relating to the content of the live broadcast and known in advance of the live broadcast, transmitting the selected data with a TV broadcast to remote player (s) in advance of and/or during the live broadcast and storing the data locally to the remote player, and

b) during or after the live broadcast, recording the time at which one or more events occur within the live broadcast and which are to be predicted by the remote player(s).

Patentansprüche

1. Ein interaktives Sendernetzwerk mit einem interaktiven Vorhersagspiel-Steuersystem, umfassend eine zentrale Steuerung (1) zum Erzeugen von Spiele-Spieldaten zur Übertragung mit einer Live-Fernsehsendung an einen oder mehrere Fernspieler und zum Empfangen von Informationen vom/von den Fernspieler(n), eine Eingabeeinrichtung (2), die mit der zentralen Steuerung (1) verbunden ist, und eine Datenbank (4A), die mit der zentralen Steuerung (1) verbunden ist, zum Speichern von Daten, die den Inhalt der Livesendung betreffen und vor der Livesendung bekannt sind, wobei die zentrale Steuerung auf Signale von der Eingabeeinrichtung reagiert:

a) vor der Livesendung, um Daten von der Datenbank (4A) zur Übertragung an den/die Fernbenutzer vor und/oder während der Livesendung auszuwählen, und

b) während oder nach der Livesendung, um die Zeit des Auftretens eines oder mehrerer Ereignisse aufzuzeichnen, die die Livesendung betreffen und die von dem/den Fernspieler(n) vorhergesagt werden sollen, wie der zentralen Steuerung (1) über die Eingabeeinrichtung (2) von einer Bedienungsperson angezeigt wird;

und eine Anzahl Ferneinheiten zum Empfangen von Signalen, die im Zusammenhang mit einer Fernsehsendung übertragen werden, von der zentralen Steuerung (1), wobei jede Ferneinheit einen Mikroprozessor (14) umfaßt, der auf von der zentralen Steuerung (1) empfangene Signale reagiert

und mit einer Eingabeeinrichtung (16) zur Verwendung durch einen Fernspieler verbunden ist, und einen Speicher (15) zum Speichern der von der zentralen Steuerung (1) übertragenen Daten.

2. Ein Netzwerk gemäß Anspruch 1, wobei die zentrale Steuerung die tatsächliche Zeit des Auftretens eines Ereignisses berechnet, indem sie die Zeit eines von der Eingabeeinrichtung (2), die mit der zentralen Steuerung verbunden ist, als Reaktion auf Aktivierung durch den Bediener erzeugten Signals überwacht und diese Zeit modifiziert, um die Antwortzeit des Bedieners und des Systems zu berücksichtigen.
3. Ein Netzwerk gemäß Anspruch 1 oder Anspruch 2, wobei der Vorgang des Aktualisierens der Datenbank (4A) bewirkt, daß von der zentralen Steuerung (1) eine Zeit aufgezeichnet wird.
4. Ein Verfahren zur Handhabung eines interaktiven Vorhersagspiels in Verbindung mit einer Live-Fernsehsendung, die von einem oder mehreren Fernspielern empfangen wird, wobei das Verfahren umfaßt

a) das Auswählen von Daten von einer Datenbank (4A), die Daten speichert, die den Inhalt der Livesendung betreffen und die vor der Livesendung bekannt sind, das Übertragen der ausgewählten Daten mit einer Fernsehsendung an einen/mehrere Fernspieler vor und/oder während der Livesendung und das lokale Speichern der Daten an den Fernspieler vor der Livesendung, und

b) das Aufzeichnen der Zeit, zu der ein oder mehrere Ereignisse in der Livesendung auftreten, die von dem/den Fernspieler(n) vorhergesagt werden sollen, während oder nach der Livesendung.

Revendications

1. Réseau de diffusion interactif comprenant un système de commande de jeu interactif et prévisionnel comprenant un contrôleur central (1) pour générer des données de cours de jeu pour transmission avec une télédiffusion en direct à un ou à des joueurs distants et pour recevoir des informations depuis le ou les joueurs distants, un dispositif d'entrée (2) connecté au contrôleur central (1), une base de données (4A) connectée au contrôleur central (1) pour mémoriser les données se rapportant au contenu de la diffusion en direct et connues à l'avance de la diffusion en direct, le contrôleur central étant sensible aux signaux provenant du dispositif d'entrée :

a) avant la diffusion en direct, pour sélectionner des données provenant de la base de données (4A) pour transmission à l'utilisateur ou aux utilisateurs distants à l'avance et/ou pendant la diffusion en direct ; et,

b) pendant ou après la diffusion en direct, pour enregistrer l'heure de l'occurrence d'un ou plusieurs événements se rapportant à la diffusion en direct qui doivent être prédits par le ou les joueurs distants, comme indiqué par un opérateur au contrôleur central (1) via le dispositif d'entrée (2) ; et un certain nombre d'unités distantes pour recevoir des signaux, transmis en association avec une télédiffusion, depuis le contrôleur central (1), chaque unité distante comprenant un microprocesseur (14) sensible aux signaux reçus depuis le contrôleur central (1) et connecté à un dispositif d'entrée (16) pour utilisation par un joueur distant, et une mémoire (17) pour mémoriser les données transmises par le contrôleur central (1).

2. Réseau selon la revendication 1, dans lequel le contrôleur central calcule l'heure réelle de l'occurrence d'un événement en surveillant l'heure d'un signal généré par le dispositif d'entrée (2) connecté au contrôleur central en réponse à une activation par l'opérateur, et modifie cette heure pour prendre en compte le temps de réponse de l'opérateur et du système.
3. Réseau selon la revendication 1 ou 2, dans lequel l'action de mise à jour de la base de données (4A) amène le contrôleur central (1) à enregistrer une heure.
4. Procédé de traitement d'un jeu interactif et prévisionnel en liaison avec une télédiffusion en direct reçue par un ou plusieurs joueurs distants, le procédé comprenant

a) avant une diffusion en direct, sélectionner des données provenant d'une base de données (4A) qui mémorise les données se rapportant au contenu de la diffusion en direct et connues à l'avance de la diffusion en direct, transmettre les données sélectionnées à l'aide d'une télédiffusion à un ou à des joueurs distants à l'avance et/ou pendant la diffusion en direct et mémoriser les données localement par rapport au niveau du joueur distant, et

b) pendant ou après la diffusion en direct, enregistrer l'heure à laquelle un ou plusieurs événements se produisent à l'intérieur de la diffusion en direct et qui doivent être prédits par le ou les joueurs distants.




Fig.2.

Choose Teams

All Teams

Home team

Define

Choose

Select teams

Ajax
Arsenal
Aston Villa
Barnsley
Belgium
Birmingham City
Blackburn Rovers
Blackpool
Bolton Wanderers
Bradford City

Away team

Define

Choose

OK

Cancel

Fig. 3.

[illegible]




Fig. 4.




Fig.5.





Fig.6.






Fig.8.




Fig.9.

Match Time
FIRST HALF

Live Mode
Pause Resume

Action Balls

Off


EVENT

SHOT

GOAL

CORNER

DENY



Predictions

61 Show

65

Final Score Penalties Log

62 Select First Scorer

First Scorer First Goal First Booked First Faller Half Time

64

63

No Goals Resolve

Your selection

Number	Name
1	Schmeichel
2	G Neville
6	Pallister
7	Cantona
8	Bull
10	Beckham
15	Paborsky
16	Keane

Number	Name
1	Smitcek
4	Batty
5	Peacock
7	Lee
9	Shearer
10	Ferdinand
11	Asprilla
14	Ginola

Home Away

Fig.10.

Fig. 11.

<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 5px 20px;">Game started</div> <div style="border: 1px solid black; padding: 5px 20px;">Race 1 Start</div> <div style="border: 1px solid black; padding: 5px 20px;">Final Scores</div> </div>																														
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px 5px;">+</div> <div style="border: 1px solid black; padding: 2px 5px;">-</div> </div>		<div style="border: 1px solid black; padding: 2px 5px;">3</div>			<div style="border: 1px solid black; padding: 2px 5px;">SEND</div>																									
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px 5px;">Course details</div> <div style="border: 1px solid black; padding: 2px 5px;">Race list</div> </div>		<div style="border: 1px solid black; padding: 2px 5px;">Details Sent</div>	<div style="border: 1px solid black; padding: 2px 5px;">Race 1</div>	<div style="border: 1px solid black; padding: 2px 5px;">Race 2</div>	<div style="border: 1px solid black; padding: 2px 5px;">Race 3</div>																									
<div style="display: flex;"> <div style="flex: 1;"> <p>Number of races</p> </div> <div style="flex: 4;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>Course</th> <th>Race Name</th> <th>Dist.</th> <th>Entries</th> <th>Hcap</th> </tr> </thead> <tbody> <tr> <td>3.10</td> <td>WINCANTON</td> <td>Badger Beer Handicap Chase</td> <td>3m 1f</td> <td>9</td> <td>Yes</td> </tr> <tr> <td>3.45</td> <td>WINCANTON</td> <td>Tanglefoot Elite Hurdle</td> <td>2m</td> <td>8</td> <td>No</td> </tr> <tr> <td>4.05</td> <td>DONCASTER</td> <td>Coalite Dragon Handicap</td> <td>2m 1f</td> <td>17</td> <td>Yes</td> </tr> </tbody> </table> </div> </div>							Time	Course	Race Name	Dist.	Entries	Hcap	3.10	WINCANTON	Badger Beer Handicap Chase	3m 1f	9	Yes	3.45	WINCANTON	Tanglefoot Elite Hurdle	2m	8	No	4.05	DONCASTER	Coalite Dragon Handicap	2m 1f	17	Yes
Time	Course	Race Name	Dist.	Entries	Hcap																									
3.10	WINCANTON	Badger Beer Handicap Chase	3m 1f	9	Yes																									
3.45	WINCANTON	Tanglefoot Elite Hurdle	2m	8	No																									
4.05	DONCASTER	Coalite Dragon Handicap	2m 1f	17	Yes																									

Start Game

Final Scores

Course details

Race list

Race 1

Race 2

Race 3

Course 1

WINCANTON

Course 2

DONCASTER

Course 3

Going

Good

Map marker

X 25

Y 163

SEND

Course description

01 mile 3 furlong oval
0Line fences
0Run right-handed
0Slightly higher than average
favourite wins
0Favoured ground for Cheltenham
trial races

Course details

Two way TV's feast of sport continues now with the best of the afternoon's action at Wincanton and Doncaster. Gipsy and the Tortoise are your two Way TV pundits of the day and here are their choices for the 3.10 Badger Beer Handicap Chase. The Tortoise who picked a winner last time out has placed <10 e/w on Run Up The flag who will love this ground and the

Page

1

Fig.12.

Fig.13.

<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 5px; text-align: center;">Game started</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">Race 1 Start</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">Final Scores</div> </div>																																											
<div style="border: 1px solid black; padding: 2px;">Course details</div>	<div style="border: 1px solid black; padding: 2px;">Race list</div>	<div style="border: 1px solid black; padding: 2px;">Details 1 Sent</div>	<div style="border: 1px solid black; padding: 2px;">Race 2</div> <div style="border: 1px solid black; padding: 2px; margin-top: 2px;">Race 3</div>																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">No</th> <th style="width: 45%;">Horse name</th> <th style="width: 20%;">Non runners</th> <th style="width: 30%;">Latest odds</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>GLEMOT</td> <td></td> <td>5/1</td> </tr> <tr> <td>2</td> <td>STRAIGHT TALK</td> <td></td> <td>12/1</td> </tr> <tr> <td>3</td> <td>GARRISON SAVANNAH</td> <td></td> <td>33/1</td> </tr> <tr> <td>4</td> <td>COOME HILL</td> <td></td> <td>5/2</td> </tr> <tr> <td>5</td> <td>WELL BRIEFED</td> <td></td> <td>8/1</td> </tr> <tr> <td>6</td> <td>RUN UP THE FLAG</td> <td></td> <td>10/1</td> </tr> <tr> <td>7</td> <td>TUG OF PEACE</td> <td></td> <td>9/1</td> </tr> <tr> <td>8</td> <td>BIG BEN DUN</td> <td></td> <td>14/1</td> </tr> <tr> <td>9</td> <td>SAMILEE</td> <td></td> <td>7/2</td> </tr> </tbody> </table>				No	Horse name	Non runners	Latest odds	1	GLEMOT		5/1	2	STRAIGHT TALK		12/1	3	GARRISON SAVANNAH		33/1	4	COOME HILL		5/2	5	WELL BRIEFED		8/1	6	RUN UP THE FLAG		10/1	7	TUG OF PEACE		9/1	8	BIG BEN DUN		14/1	9	SAMILEE		7/2
No	Horse name	Non runners	Latest odds																																								
1	GLEMOT		5/1																																								
2	STRAIGHT TALK		12/1																																								
3	GARRISON SAVANNAH		33/1																																								
4	COOME HILL		5/2																																								
5	WELL BRIEFED		8/1																																								
6	RUN UP THE FLAG		10/1																																								
7	TUG OF PEACE		9/1																																								
8	BIG BEN DUN		14/1																																								
9	SAMILEE		7/2																																								
<div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <div style="border: 1px solid black; padding: 5px; text-align: center;">3.10 WINCANTON</div> </div> <div style="width: 40%;"> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">Horse details</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">SEND</div> </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 10px;"> <div style="text-align: center;">Non runners</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">SEND</div> </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 10px;"> <div style="text-align: center;">Latest odds</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">SEND</div> </div> </div> </div> </div>																																											

Fig.14.

Course details		Race list	Details 1 Sent	Race 2	Race 3	<input type="button" value="Game started"/> <input type="button" value="Race 1 Start"/> <input type="button" value="Final Scores"/>	
Horse		Jockey		Draw			
4 COOME HILL		J FROST					
Age Weight		Form		Colours			
7 11-7		1/12-1		Dark blue, white cross belts. White cap, dark blue star			
Trainer		Owner		Form #			
W Dennis		Mrs Jill Dennis		140			
Breeding							
b g Riot Helmet-Ballybrack							
Form guide							
Unbeaten in five points in this country. Has won 2 out of 3 in hunter classes. Gone up 6lbs		<input type="button" value="Cancel"/> <input type="button" value="Done"/>					
<input type="button" value="Previous<<"/> <input type="button" value="Next>>"/>							

ASCOT		Good to Soft	
2.30	Willmott Dixon Cornwallis Stakes		12 run
5f			
1	EASYCALL	M TEBBUTT	12
2	DEEP FINESSE	PAT EDDERY	7
3	BLUE RIDGE	M J KINANE	3
4	CHECK THE BAND	C ROCHE	1
5	GRAND LAD	R HILLS	8
6	MELIKSAH	M FENTON	9
7	OMAHA CITY	B DOYLE	10
8	RUDI'S PET	DANE O'NEILL	5
9	SUPERIOR PREMIUM	A CULHANE	4

Fig.15.

23

Search icon:

3.40	Simon Trimmer Stakes (Class A Grade 3) 1m		5 run
------	--	--	-------

2	RAIN IN SPAIN	4/1	9/2	5/1
---	---------------	-----	-----	-----

YELLOW You have £50

Select type of bet: WIN EACHWAY PLACE

Select amount: £1 £5 £10 £20 £50 £100

YOUR MONEY IS ON!

Fig.17.